

## [1] EC-TYPE EXAMINATION CERTIFICATE

[2] Equipment or Protected System Intended for use  
in Potentially explosive atmospheres  
Directive 94/9/EC

- [3] **EC-Type Examination Certificate Number:** Nemko 13 ATEX 1564X **Issue 0**
- [4] **Equipment or Protective System:** Manual Call Point & Push Button– CP 150 & PB 150
- [5] **Applicant/ Manufacturer:** Ex- Tech SAS
- [6] **Address:** ZE Bandiat Tardoire,  
16110 St.Projet,  
France
- [7] **This equipment or protective system and any acceptable variation thereto are specified in the schedule to this certificate and the documents therein referred to.**
- [8] **Nemko AS, notified body number 0470 in accordance with Article 9 of Council Directive 94/9/EC of 23 March 1994, certifies that this equipment or protective system has been found to comply with the Essential Health and Safety requirements relating to the design and construction of equipment and protective systems intended for use in potentially explosive atmospheres given in Annex II to the Directive.**
- The examination and test results are recorded in confidential report no. 244821**
- [9] **Compliance with the Essential Health and Safety Requirements has been assured by compliance with:**  
EN 60079-0:2012 (IEC 60079-0:2011) , EN 60079-1:2007 (IEC 60079-1:2007) and  
EN 60079-31:2009 (IEC 60079-31:2008)
- [10] **If the sign “X” is placed after the certificate number, it indicates that the equipment or protective system is subject to special conditions for safe use specified in the schedule to this certificate.**
- [11] **This EC-TYPE EXAMINATION CERTIFICATE relates only to the design, examination and tests of the specified equipment or protective system in accordance to the directive 94/9/EC. Further requirements of the Directive apply to the manufacturing process and supply of this equipment or protective system. These are not covered by this certificate.**
- [12] **The marking of the equipment or protective system shall include the following:**

 II 2GD Ex d IIC T6 Gb.  
Ex tb IIIC T85°C (Tamb = -40°C ~+70°C)

Oslo, 2013-11-19

*Asle Kaastad*

**Asle Kaastad**  
Certification Manager, Ex-products

*This certificate may only be reproduced in its entirety and without any change, schedule included.*

**[13] Schedule****[14] EC-TYPE EXAMINATION CERTIFICATE No. Nemko 13 ATEX 1564X Issue 0****[15] Description of Equipment or Protective System**

This report covers two products, one is Manual Call Point type CP 150 and the other is a Push Button type PB 150. The difference is not involving the Ex protection principle. The product is made up of; main body and front cover both made in GRP material, connected together by a spigot joint. There is actuator head screwed into the cover with an Ex threads of M20\*1,5. An operating rod pass through this and forms an Ex Cylindrical joints from the outside to the inside of the enclosure. 2 LED's are installed in the lid by using cemented joint. There are micro switches, PCB's and a terminal row inside the housing.

**Designation**

CP 150 &amp; PB 150 Series

**Electrical Ratings:**

CP 150 &amp; PB 150 30V DC 6A, 250 VAC 11A

**Degree of Protection**

IP66

**[16] Report No. 244821****Descriptive Documents**

Name/Title	Drawing No.	Rev.	Date	Sheets
General Drawing PB 150	55080400000	1.01	13.03.05	1
Dispense Drawing PB 150	55080400001	1.01	13.03.05	1
Part List PB 150	55080400002	1.01	13.03.05	1
General Drawing CP 150	55080500000	1.01	13.03.05	1
Dispense Drawing CP 150	55080500001	1.01	13.03.05	1
Part List CP150	55080500002	1.01	13.03.05	1
Upper Case CP/ PB 150	55080450102	1.01	13.03.05	1
Main box CP/ PB 150	55060250101	1.01	13.03.05	1
Mallet CP/PB 150	55080110105	1.01	13.03.05	1
Top Body CP/ PB 150	55080110103	1.01	13.03.05	1
Alternative lid screw for 150 serious	55060250401	1.01	13.08.25	1
Alternative lid screw for 150 serious	55060250402	1.01	13.08.25	1
Nam Plate Call Point or Push Button Ex d	55080010521	1.02	13-11-12	1

**Certificate History and Associated Nemko Reports**

Issue	Date	Report	Description
0	2013-11-19	244821	Prime Certificate released

*This certificate may only be reproduced in its entirety and without any change, schedule included.*

**Routine Test**

A routine pressure test according to EN 60079-1 clause 16 shall be carried out on all enclosures with the following pressures  
CP 150 & PB 150 1.7MPa

**[17] Specific Condition for Use**

Repairs of the flameproof joints must be made in compliance with the structural specifications provided by the manufacturer. Repairs must not be made on the basis of values specified in tables 1 and 2 of EN/IEC 60079-1.

**[18] Essential Health and Safety Requirements**

Not applicable



*This certificate may only be reproduced in its entirety and without any change, schedule included.*

Postal address:  
P.O.Box 73 Blindern  
N-0314 OSLO, NORWAY

Office address:  
Gaustadalléen 30  
0373 OSLO

Telephone:  
+47 22 96 03 30  
Fax:  
+47 22 96 05 50

Enterprise number:  
NO 974404532